



Epi Multidose Vial

For ALS Providers



Epi 1:1 000 MDV

- Current, nationwide shortage of Epi 1:10,000 pre-fills.
- Departments need to find other methods for delivering Epinephrine.
- Each vial contains 30mL of Epi 1:1,000 (30 doses)




Epi 1:1000 MDV

- Each vial contains enough Epi for 30 doses
- Once opened, each vial is good for 30 days
- Use the included, barbed adapter, to draw up medication.
Remember to leave the adapter in place!
- **Be sure to date the bottle 30 days from the date it was opened.**

Packaging

One **Epi Arrest Kit** will take the place of a set of Epi Pre-filled syringes.

- 1- Epi 1:1,000, 30mL multi-dose vial
- 1- Medication Vial Adapter
- 10- 10mL saline-filled syringes (flushes)



Preparation

If the vial adapter is already in place, skip to Step 2

- Step 1- Remove the cap and insert the vial adapter into the rubber top. **Once inserted, do not remove the adapter.**
- Step 2- Open a 10mL pre-filled flush, eject 1mL fluid, add 1mL of air.
- Step 3- Attach the flush to the vial adapter, invert the vial, add 1mL of air, and draw out 1mL of medication.
- Step 4- Administer all 10 mL (1mg)



Questions?

See EMS 7 if you have any questions.
- July 2019 -